Neuroscience Letters, 146 (1992) 235–237
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Akiguchi, I., see Wakita, H., 135
Akiyama, H., Ikeda, K., Kondo, H. and McGeer, P.L., Thrombin accumulation in brains of patients with Alzheimer's disease, 152
Alarcon, G., see Bullmore, E., 227
Alexander, S.P.H., Curtis, A.R., Hill, S.J. and Kendall, D.A., Activation of a metabotropic excitatory amino acid receptor potentiates A_{2b} adenosine receptor-stimulated cyclic AMP accumulation, 231
Arancio, O., Buffelli, M., Cangiano, A. and Pasino, E., Nerve stump effects in muscle are independent of synaptic connections and are temporally correlated with nerve degeneration phenomena, 1
Arcangeli, K.R., see Lake, J.R., 203
Archin, N., see Hof, P.R., 91
Arilla, E., see Muñoz-Acedo, G., 60
Atlas, D., see Schwartz, L., 17

Ballivet, M., see Bertrand, D., 87
Batailler, M., Blache, D., Thibault, J. and Tillet, Y., Immunohistochemical colocalization of tyrosine hydroxylase and estradiol receptors in the sheep arcuate nucleus, 125
Beal, M.F., see Miller, J.M., 115
Benowitz, L., see Winter, J., 48
Bertrand, D., Bertrand, S. and Ballivet, M., Pharmacological properties of the homomeric α7 receptor, 87
Bertrand, S., see Bertrand, D., 87
Binnie, C., see Bullmore, E., 227
Blache, D., see Batailler, M., 125
Block, G.D., see Michel, S., 219
Bonnekoh, P., Kuroiwa, T., Oschlies, U. and Hossmann, K.-A., Barbiturate promotes post-ischemic reaggregation of polyribosomes in gerbil hippocampus, 75
Brammer, M., see Bullmore, E., 227
Brandeis, R., see Weissman, B.A., 139
Brown, G.M., see Wang, Z.P., 195
Buda, C., see Kitahama, K., 5
Buffelli, M., see Arancio, O., 1
Bullmore, E., Brammer, M., Alarcon, G. and Binnie, C., A new technique for fractal analysis applied to human, intracerebrally recorded, ictal electroencephalographic signals, 227
Butt, A.M. and Tutton, M., Response of oligodendrocytes to glutamate and γ-aminobutyric acid in the intact mouse optic nerve, 108

Cangiano, A., see Arancio, O., 1
Carlà, V. and Moroni, F., General anaesthetics inhibit the responses induced by glutamate receptor agonists in the mouse cortex, 21
Cheng, K., see Wang, Z.P., 195
Clusmann, H., Stabel, J., Stephens, D.N. and Heinemann, U., Alterations in medial perforant path and mossy fiber induced field potentials in amygdala and β-carboline (FG 7142) kindled rats, 65
Code, W., see Shuaib, A., 69
Costantino, M., see Mariangela, S., 45
Cristina, F.M., see Mariangela, S., 45
Cristina, G.A., see Mariangela, S., 45
Curtis, A.R., see Alexander, S.P.H., 231

D'Arcangelo, G., see Tancredi, V., 176
Deshotel, K.D., see Lake, J.R., 203
Devor, M., see Utzschneider, D., 53

Eccles, C.U., see Haberny, K.A., 187
Edgerton, V.R., see Eldred, E., 199
Ekonsalo, T., see Sirviö, J., 215
Eldred, E., Smith, L. and Edgerton, V.R., Comparison of contraction times of a muscle and its motor units, 199
Eusebi, F., see Tancredi, V., 176
Evans, H.F., Huntley, G.W., Morrison, J.H., Shine, J. and Paxinos, G., Localization of preprogalanin mRNA in the monkey hippocampal formation, 171
Evison, C.J., see Winter, J., 48

Frackowiak, R., see Price, C., 179
Friston, K., see Price, C., 179
Fryer, M.W., An *N*-ethylmaleimide-sensitive G-protein modulates *Aplysia* Ca^{2+} channels, 84

Galik, J., see Marsala, J., 121
Geffard, M., see Kitahama, K., 5
German, D.C., see Liang, C.-L., 79
Giovanni, B., see Mariangela, S., 45
Glezer, I.I., see Hof, P.R., 91
Gottmann, K., see Leßmann, V., 13
Grassi, F., see Tancredi, V., 176
Gusev, A.G., see Voronin, L.L., 111

Haberny, K.A., Pou, S. and Eccles, C.U., Potentiation of quinolinate-induced hippocampal lesions by inhibition of NO synthesis, 187
Han, J., see Xu, T., 72
Hausam, D.D., see Lake, J.R., 203
Hebert, K.M., see Lake, J.R., 203
Heinemann, U., see Clusmann, H., 65
Hertz, L., see Shuaib, A., 69
Hill, S.J., see Alexander, S.P.H., 231
Hiramoto, D., see Sekiya, H., 10
Hirano, T., Nagai, K. and Nakagawa, H., Circadian variation of [^{3}H]dopamine handling in adrenal chromaffin cells of mice, 159
Hirata, M., see Wang, X.-B., 25
Hof, P.R., Glezer, I.I., Archin, N., Janssen, W.G., Morgane, P.J. and Morrison, J.H., The primary auditory cortex in cetacean and human brain: a comparative analysis of neurofilament protein-containing pyramidal neurons, 91
Hömberg, V., see Netz, J., 29
Horikawa, J., see Taniguchi, I., 37
Hossmann, K.-A., see Bonnekoh, P., 75
Howard, D., see Price, C., 179
Huntley, G.W., see Evans, H.F., 171
Hutchison, J.B., see Wozniak, A., 191
Hutchison, R.E., see Wozniak, A., 191

Ichikawa, H., Jacobowitz, D.M. and Sugimoto, T., Calretinin-immunoreactivity in the oro-facial and pharyngeal regions of the rat, 155
Ikeda, K., see Akiyama, H., 152
Ikemoto, M., see Wang, X.-B., 25

Ishikawa, S., see Sekiya, H., 10
Ivanov, N.V., see Voronin, L.L., 111

Jacobowitz, D.M., see Ichikawa, H., 155
Janssen, W.G., see Hof, P.R., 91
Joseph, S.A., see Liang, C.-L., 79
Jouvet, M., see Kitahama, K., 5

Kadar, T., see Weissman, B.A., 139
Kendall, D.A., see Alexander, S.P.H., 231
Khalsa, S.B.S., see Michel, S., 219
Kimura, J., see Wakita, H., 135
Kitahama, K., Buda, C., Sastre, J.P., Nagatsu, I., Raynaud, B., Jouvet, M. and Geffard, M., Dopaminergic neurons in the cat dorsal motor nucleus of the vagus, demonstrated by dopamine, AADC and TH immunohistochemistry, 5
Kocsis, J., see Utzschneider, D., 53
Kojima, Y., see Sekiya, H., 10
Kondo, H., see Akiyama, H., 152
Kozlowski, G.P., see Liang, C.-L., 79
Kuhnt, U., see Voronin, L.L., 111
Kuroiwa, T., see Bonnekoh, P., 75

Lahtinen, H., see Sirviö, J., 215
Lake, J.R., Hebert, K.M., Payza, K., Deshotel, K.D., Hausam, D.D., Witherspoon, W.E., Arcangeli, K.R. and Malin, D.H., Analog of neuropeptide FF attenuates morphine tolerance, 203
Lambert, J.D.C., see Roepstorff, A., 131
Lee, S., see Torres, G., 96
Leßmann, V., Gottmann, K. and Lux, H.D., Evans blue reduces macroscopic desensitization of non-NMDA receptor mediated currents and prolongs excitatory postsynaptic currents in cultured rat thalamic neurons, 13
Li, S. and Pelletier, G., Dopamine regulation of gonadotropin-releasing hormone (GnRH) gene expression in the female rat brain, 207
Liang, C.-L., Kozlowski, G.P., Joseph, S.A. and German, D.C., $ACTH_{1-39}$ inputs to mesocorticolimbic dopaminergic neurons: light and electron microscopic examination, 79
Lindsay, R.M., see Winter, J., 48
Liu, Z.M. and Pang, S.F., [^{125}I]-Labelled iodomelatonin binding sites in the duck bursa of Fabricius: binding characteristics and diurnal variation, 163
López-Sañudo, S., see Muñoz-Acedo, G., 60
Lux, H.D., see Leßmann, V., 13
Lynch III, C., see Pancrazio, J.J., 147

MacGarvey, U., see Miller, J.M., 115
Malin, D.H., see Lake, J.R., 203
Mariangela, S., Cristina, G.A., Cristina, F.M., Costantino, M. and Giovanni, B., The degeneration of the excitatory climbing fibers enhances [^{3}H]MK-801 and [^{3}H]CGP 39653 binding sites in the rat cerebellar cortex, 45
Marsala, J., Marsala, M., Vanicky, I., Galik, J. and Orendacova, J., Post cardiac arrest hyperoxic resuscitation enhances neuronal vulnerability of the respiratory rhythm generator and some brainstem and spinal cord neuronal pools in the dog, 121
Marsala, M., see Marsala, J., 121
McGeer, P.L., see Akiyama, H., 152
Michel, S., Khalsa, S.B.S. and Block, G.D., Phase shifting of the circadian rhythm in the eye of *Bulla* by inhibition of chloride conductance, 219
Miki, N., see Wang, X.-B., 25
Miller, J.M., MacGarvey, U. and Beal, M.F., The effect of peripheral loading with kynurenine and probenecid on extracellular striatal kynurenic acid concentrations, 115
Miura, M., see Okada, J., 33
Mokler, D.J., see Moore, R.D., 223
Monroe, P.J., see Smith, D.J., 143
Moore, R.D., Mokler, D.J. and Winterson, B.J., Intrathecally administered *N*-methyl-D-aspartate increases persistent hindlimb flexion in rat, 223
Morgane, P.J., see Hof, P.R., 91
Moriyama, T., see Taniguchi, I., 37
Moroni, F., see Carlà, V., 21
Morrison, J.H., see Evans, H.F., 171
Morrison, J.H., see Hof, P.R., 91
Mukuno, K., see Sekiya, H., 10
Mulderry, P., see Winter, J., 48
Muñoz-Acedo, G., López-Sañudo, S. and Arilla, E., Reduction of somatostatin receptors in rat hippocampus by treatment with 5,7-dihydroxytryptamine, 60

Näätänen, R., see Schröger, E., 183
Nagai, K., see Hirano, T., 159
Nagatsu, I., see Kitahama, K., 5
Nakagawa, H., see Hirano, T., 159
Nakamura, S., see Wakita, H., 135
Nasu, M., see Taniguchi, I., 37
Netz, J. and Hömberg, V., Intact conduction of fastest corticospinal efferents is not sufficient for normal voluntary muscle strength: transcranial motor cortex stimulation in patients with tetraplegia, 29
Nishida, A., see Shimizu, M., 101

O'Brien, C., see Winter, J., 48
Ohnishi, K., see Wakita, H., 135
Okada, J. and Miura, M., Transmitter substances contained in the petrosal ganglion cells determined by a double-labeling method in the rat, 33
Orendacova, J., see Marsala, J., 121
Oschlies, U., see Bonnekoh, P., 75
Osugi, T., see Wang, X.-B., 25

Paavilainen, P., see Schröger, E., 183
Palmieri, G., see Tancredi, V., 176
Pancrazio, J.J., Park, W.K. and Lynch III, C., Effects of enflurane on the voltage-gated membrane currents of bovine adrenal chromaffin cells, 147
Pang, C.S.-F., see Wang, Z.P., 195
Pang, S.F., see Poon, A.M.S., 41
Pang, S.F., see Liu, Z.M., 163
Pang, S.F., see Wang, Z.P., 195
Park, W.K., see Pancrazio, J.J., 147
Pasino, E., see Arancio, O., 1
Patterson, K., see Price, C., 179
Paxinos, G., see Evans, H.F., 171
Payza, K., see Lake, J.R., 203
Pelletier, G., see Li, S., 207
Poon, A.M.S. and Pang, S.F., Constant light exposure increases 2-[^{125}I]iodomelatonin binding sites in the guinea pig spleen, 41
Pou, S., see Haberny, K.A., 187
Price, C., Wise, R., Ramsay, S., Friston, K., Howard, D., Patterson, K. and Frackowiak, R., Regional response differences within the human auditory cortex when listening to words, 179

Ramsay, S., see Price, C., 179
Raynaud, B., see Kitahama, K., 5
Requin, M. and Risso, J.J., Effects of high pressure on striatal dopamine release in freely moving rats: a microdialysis study, 211
Riekkinen Jr., P., see Sirviö, J., 215
Riekkinen Sr., P., see Sirviö, J., 215
Risso, J.J., see Requin, M., 211
Rivier, C., see Torres, G., 96
Robertson, B., see Smith, D.J., 143
Roepstorff, A. and Lambert, J.D.C., Comparison of the effect of the GABA uptake blockers, tiagabine and nipecotic acid, on inhibitory synaptic efficacy in hippocampal CA1 neurones, 131
Rogers, L.J., see Schwarz, I.M., 167

Santoni, A., see Tancredi, V., 176
Sastre, J.P., see Kitahama, K., 5
Schröger, E., Näätänen, R. and Paavilainen, P., Event-related potentials reveal how non-attended complex sound patterns are represented by the human brain, 183
Schwartz, L. and Atlas, D., Potency of depolarization-induced transmitter release is determined by divalent cation influx in PC 12 cells, 17
Schwarz, I.M. and Rogers, L.J., Testosterone: a role in the development of brain asymmetry in the chick, 167
Sekiya, H., Kojima, Y., Hiramoto, D., Mukuno, K. and Ishikawa, S., Bilateral innervation of the musculus levator palpebrae superioris by single motoneurons in the monkey, 10
Shapira, S., see Weissman, B.A., 139
Shimizu, M., Nishida, A. and Yamawaki, S., Antidepressants inhibit spontaneous oscillations of intracellular Ca^{2+} concentration in rat cortical cultured neurons, 101
Shine, J., see Evans, H.F., 171
Shuaib, A., Sochocka, E., Code, W. and Hertz, L., Hypothermia protects astrocytes during ischemia in cell culture, 69
Sirviö, J., Ekonsalo, T., Riekkinen Jr., P., Lahtinen, H. and Riekkinen Sr., P., D-cycloserine, a modulator of the *N*-methyl-D-aspartate receptor, improves spatial learning in rats treated with muscarinic antagonist, 215
Smith, D.J., Robertson, B. and Monroe, P.J., Antinociception from the administration of β-endorphin into the periaqueductal gray of rat is enhanced while that of morphine is inhibited by barbiturate anesthesia, 143
Smith, L., see Eldred, E., 199
Sochocka, E., see Shuaib, A., 69
Stabel, J., see Clusmann, H., 65
Staley, K., Enhancement of the excitatory actions of GABA by barbiturates and benzodiazepines, 105
Stephens, D.N., see Clusmann, H., 65
Sugimoto, T., see Ichikawa, H., 155

Takebe, K., see Watanobe, H., 57
Tancredi, V., D'Arcangelo, G., Grassi, F., Tarroni, P., Palmieri, G., Santoni, A. and Eusebi, F., Tumor necrosis factor alters synaptic transmission in rat hippocampal slices, 176
Taniguchi, I., Horikawa, J., Moriyama, T. and Nasu, M., Spatio-temporal pattern of frequency representation in the auditory cortex of guinea pigs, 37
Tarroni, P., see Tancredi, V., 176
Thibault, J., see Batailler, M., 125
Tillet, Y., see Batailler, M., 125
Tomimoto, H., see Wakita, H., 135
Torres, G., Lee, S. and Rivier, C., Immunocytochemical and in situ hybridization detection of hypothalamic neuropeptides from postmortem unfixed rat brains, 96
Tutton, M., see Butt, A.M., 108

Utzschneider, D., Kocsis, J. and Devor, M., Mutual excitation among dorsal root ganglion neurons in the rat, 53

Vanicky, I., see Marsala, J., 121
Voronin, L.L., Kuhnt, U., Ivanov, N.V. and Gusev, A.G., Reliability of quantal parameter estimates and their changes during long-term potentiation in guinea pig hippocampal slices, 111

Wakita, H., Tomimoto, H., Akiguchi, I., Ohnishi, K., Nakamura, S. and Kimura, J., Regional accumulation of amyloid β/A4 protein precursor in the gerbil brain following transient cerebral ischemia, 135
Wang, T., see Xu, T., 72
Wang, X.-B., Watanabe, Y., Osugi, T., Ikemoto, M., Hirata, M. and Miki, N., In situ DNA-protein binding: a novel method for detecting DNA-binding activity of transcription factor in brain, 25
Wang, Z.P., Cheng, K., Brown, G.M., Pang, C.S.-F. and Pang, S.F., Characterization of 2-[^{125}I]iodomelatonin-binding sites in quail testes at mid-light and mid-dark, 195
Watanabe, Y., see Wang, X.-B., 25
Watanobe, H. and Takebe, K., Evidence that neuropeptide Y secretion in the median eminence increases prior to the luteinizing hormone surge in ovariectomized steroid-primed rats: estimation by push–pull perfusion, 57
Weissman, B.A., Kadar, T., Brandeis, R. and Shapira, S., N^G-Nitro-L-arginine enhances neuronal death following transient forebrain ischemia in gerbils, 139
Winter, J., Evison, C.J., O'Brien, C., Benowitz, L., Lindsay, R.M., Mulderry, P. and Woolf, C., Neurotoxic damage evokes regenerative responses from adult rat sensory neurones, 48
Winterson, B.J., see Moore, R.D., 223
Wise, R., see Price, C., 179
Witherspoon, W.E., see Lake, J.R., 203
Woolf, C., see Winter, J., 48
Wozniak, A., Hutchison, R.E. and Hutchison, J.B., Localisation of aromatase activity in androgen target areas of the mouse brain, 191

Xu, T., Wang, T. and Han, J., Involvement of opioid receptors in nucleus tractus solitarii in modulating endotoxic hypotension in rats, 72

Yamawaki, S., see Shimizu, M., 101